

GLOBE

Lat. 33°15'
Long. 110°45'

ARIZONA 164

C&GS 33 110 3

(1)	T. Winsor	1900	8498
(2)	"	"	"
(3)	"	"	"
(4)	"	"	"
(5)	J. F. McBeth	1901	9293
(6)	R. Philips	1905	6624
(7)	L. E. Marsden	1944	V 117
	(D. Meyer	1963	PV 484
(8)	L. E. Marsden	1944	V 117
(9)	"	"	"
(10)	"	"	"
(11)	"	"	"
(12)	"	"	"
(13)	J. D. Brittenham	1947	PV 14

187



141

GLOBE (164)

Arizona

T. Winsor, 1900

Third Order

Adjusted Elevations Based
on Sea Level Datum of 1929

FILE COPY

Book: 8498

Latitude 33°15'

Longitude 110°45'

(2) FROM RAY QUADRANGLE (141) NORTH ALONG ROAD VIA PINAL CREEK TO
GLOBE THENCE SOUTHEAST ALONG SOUTHERN PACIFIC RAILROAD INTO
GIBSON QUADRANGLE (163)

Pioneer, 3.8 mi. N. of, SE. side of rd., at summit of Pioneer
Pass over Pinal Mountains; standard iron post with bronze cap
stamped "6158 PHNX"

6157.278

Pioneer Pass Summit, 2.7 mi. N. along new rd. to Globe thence
0.8 mi. N. from along old rd. to Globe via Pinal Creek and 66
Ranch, 7.5 mi. S. of Globe, at first slight short uphill grade,
200 ft. NE. and 30 ft. higher than center of rd., in 6 by 6 ft.
flat granite boulder; aluminum tablet stamped "4962 PHNX"
(Not Found)

4961.874

Globe, 4.0 mi. SE of, S. side of gate, on W. side of rd., at
ranch "66"; standard iron post with bronze cap stamped "3825
PHNX"

New Description

Globe, 4.2 mi. SE. along road that leads through Six Shooter
Canyon from City Hall, 0.2 mi. N. of the "Sixty-Six" ranch,
60 ft. S. and 53 ft. W. of centerline of rd. ford at drain,
inside a corral fence, 2 ft. N. and 1 ft. W. of the W. end of
a cattle loading chute; a standard iron post with bronze cap
stamped "3825 PHNX"

3824.311 X

Globe 2.5 mi. SE. of, on SW. side of rd., at NE. corner of
small corral opposite slaughterhouse; standard iron post with
bronze cap stamped "3637 PHNX" (Not Found)

3636.348

Globe, at the Gila County Courthouse, at S. corner of building,
in W. stone face 3 ft. higher than sidewalk, aluminum tablet
stamped "3525 PHNX: (Recovered by USC&GS, 1946)

Lost '80
3524.311

Globe, 2.5 mi. SE of, on top of hill, 0.5 mi. S. of NR;
meridian (azimuth) mark; standard tablet stamped "3885 PHNX"

3884.763

Globe, 2.3 mi. E. of station along Southern Pacific RR, 0.2 mi.
SW. of Gila Meat Co. slaughterhouse, at Pinal Siding, 90 ft. SW.
of SW. corner of corral, 25 ft. S. of center of track; standard
iron post with bronze cap stamped "3720 PHNX" (Recovered by
USC&GS, 1946)

3719.307

FILE COPY

6-24-64 sms

GLOBE (164)

Arizona

T. Winsor, 1900

Third Order

Adjusted Elevations Based
on Sea Level Datum of 1929

FILE COPY

Book: 8498

Latitude 33°15'

Longitude 110°45'

(2) FROM GLOBE WEST ALONG GLOBE-PAYSON ROAD VIA INSPIRATION
(FORMERLY BLACK WARRIOR) TO CONTINENTAL MINE "Double-run spur line"

Globe, 0.8 mi. NW. of courthouse along U. S. Highway 70, 0.2 mi. N. of a RR. overhead crossing, 240 ft. S. of a highway bridge, opposite the jct. of Lane St., 20 ft. E. of center of hwy.; standard iron post with bronze cap stamped "3461 PHNX" (Recovered by USC&GS, 1946) (Reported destroyed 4/9/57) 3459.980

Globe, 2.5 mi. NW. of, on NE. side of rd., at jct. of Black Warrior Road; standard iron post with bronze cap stamped "3348 PHNX" (Reported destroyed prior to 1946, USC&GS) 3347.250

Inspiration (formerly Black Warrior), 1.2 mi. SE. of, at mouth of Webster Gulch, on SW. side of rd., 150 ft. NW. of saloon, in brown sandstone rock 5 ft. in diameter by 3 ft. high; aluminum tablet stamped "3349 PHNX" 3348.393

Inspiration (formerly Black Warrior), 1.8 mi. W. of, 6 ft. E. of triple live oak tree, at bend on S. side of rd., in sandstone boulder; aluminum tablet stamped "3759 PHNX" 3758.452

Inspiration (formerly Black Warrior), 5.5 mi. W. of, 1.0 mi. E. of Continental Copper Mine, 100 ft. N. of summit of hill on divide between Webster and Pinto Creeks, 25 ft. NE. of rd., in sandstone boulder; aluminum tablet stamped "4578 PHNX" 4577.260

FILE COPY

6-24-64 sms

GLOBE (164)

Arizona

T. Winsor, 1900

Third Order

Adjusted Elevations Based
on Sea Level Datum of 1929

FILE COPY

Book: 8498

Latitude 33°15'

Longitude 110°45'

(3) FROM MIAMI SOUTHWEST ALONG U. S. HIGHWAYS 60 AND 70 TO SCHULTZE RANCH THENCE SOUTH ALONG ROAD TO HENDERSON RANCH THENCE NORTH-EAST TO GLOBE

Inspiration (Formerly Black Warrior), 1.2 mi. SE. of; aluminum tablet stamped "3349 PHNX" (Described in Line 2) 3348.393

Miami, 1.0 mi. SW. of, 2.8 mi. NE. of Schultze Ranch, on SW. bank of Bloody Tanks Wash; standard iron post with bronze cap stamped "3468 PHNX" 3467.482*

Miami, 3.7 mi. W. along U. S. Highway 60 thence 0.4 mi. SW. from along dirt rd. leading past the Schultze cabins in 1935, 200 ft. S. along the S. fork from jct. of a dry creek, 54 ft. W. of center of rd., on W. bank of E. branch of creek; standard iron post with bronze cap stamped "3906 PHNX" (Recovered by USC&GS, 1935) 3905.570

Schultze Ranch, 3.8 mi. SW. of, on E. side of rd., at base of short steep hill, in schist ledge; aluminum tablet stamped "4523 PHNX" 4522.439

Schultze Ranch, 6.5 mi. SW. of, at F. R. Henderson Ranch, 85 ft. NE. of ranch gate, 12 ft. N. of and 3 ft. higher than center of Pinto Creek, 7 ft. NE. of lone 12 in. ash tree, 4 ft. S. of center of rd. in schist ledge; aluminum tablet stamped "4864 PHNX" 4863.377

Globe, 11 mi. SW. of, on W. side of trail, 150 ft. E. of summit of mountain, 20 ft. NE. of 15 in. pine tree, in granite boulder; aluminum tablet stamped "6487 PHNX" 6485.940

Globe, 8.2 mi. SW. of, on S. side of small ravine, on E. side of Ridge Toll Road, 150 ft. NE. of bridge across gulch, in gneiss rock, bronze tablet stamped "4857 PHNX"

New Description:

Globe P.O., 3.7 mi. W. of along U. S. Hwys. 60-70, thence left, southerly along road to Signal Peak lookout tower, 6.0 mi., thence right along gravel rd. 2.1 mi. to a dim rd. jct. leading to bottom of canyon to the W., thence along dim rd. 0.3 mi., 4 ft. S. of center of small drain, 4 ft. E. of center of dim rd., 120 ft. E. of main gulch, in rock outcrop 0.5 ft. above drain and rd.; a bronze tablet stamped "4857 PHNX" 4856.562

FILE COPY

* This mark is on a line
pro-rating 0.344 in 6⁰⁰ Miles.
Shown to tenths. 6-24-64 sms

GLOBE (164)

Arizona

T. Winsor, 1900

Third Order

Adjusted Elevations Based On
Sea Level Datum of 1929

FILE COPY

Book: 8498

- (3) Globe 5.2 mi. SW. of, 50 ft. N. of sharp bend, 15 ft. NE. of rd., in granite boulder; aluminum tablet stamped "4438 PHNX" (Destroyed - All but the stem and a 1 in. section of cap has been chiseled away. The cross and figures '38' are legible on the small section of cap).

New Description:

Globe P.O., 3.7 mi. W. of along U. S. Hwys 60-70, thence left, southerly, along rd. to Signal Peak Lookout Tower 6.0 mi., thence left along abandoned rd. 0.8 mi. to sharp bend, 15 ft. NE. of rd., 50 ft. N. of sharp bend, in granite boulder, the stem and 1 in. circular section of aluminum tablet stamping visible 8--38

4437.179

Globe, 0.8 mi. NW. of courthouse along U. S. Highway 70; standard iron post with bronze cap stamped "3461 PHNX" (Described in Line 2) 3459.980

quad 164 line 3

NOTE: This line was run by Third Order methods but closure was 0.470 ft. ~~lost~~ in a distance of 21.10 miles. This closure error has been prorated in the line.

Beginning at "4522.439" to end of line; not including "3459.980"

FILE COPY

6-24-64 SMS *LL*

GLOBE (164)

Arizona

T. Winsor, 1900

Third Order

Adjusted Elevations Based On
Sea Level Datum of 1929

Book: 8498

FILE COPY

Latitude 33°15'

Longitude 110°45'

(4) FROM GLOBE NORTHWEST ALONG GLOBE-PAYSON ROAD TO BIXBY RANCH

Globe, 2.5 mi. NW. of; standard iron post with bronze cap
stamped "3348 PHNX" (Described in Line 2)

3347.250

Globe, 6.0 mi. W. along Apache Trail Highway, thence 1.0 mi.
NE. from along a county rd., at the S. L. Bixby Ranch in 1933,
200 ft. S. of the ranch house, 40 ft. NE. of center of rd.,
10 ft. SE of a cottonwood tree; standard iron post with
bronze cap stamped "3170 PHNX" (Recovered by USC&GS, 1933)

Lost '80

3169.105

FILE COPY

6-25-64 sms

KV

GLOBE (164)

Arizona

J. F. McBeth, 1901

Third Order

Adjusted Elevations Based On
Sea Level Datum of 1929

Book: 9293

Latitude 33°15'

Longitude 110°45'

FILE COPY

- (5) FROM GLOBE NORTH ALONG ROAD VIA BIG JOHNNIE GULCH THENCE EAST OVER DIVIDE JUST SOUTH OF BIG JOHNNIE MINE TO COPPER GULCH THENCE NORTHEAST 0.3 MILE AND RETURN SOUTHWEST ALONG COPPER GULCH TO GLOBE

Between Big Johnnie Gulch and drainage flowing to Buffalo Smelter, 100 ft. SW. of rd., in limestone boulder in hillside; bronze tablet stamped "3942"

3941.204

Big Johnnie Gulch and Copper Gulch, top of divide between, 40 ft. W. of rd. through saddle in divide, in rock outcrop; bronze tablet stamped "4206"

4204.686

Copper Gulch, head of, on divide, 15 ft. S. of wagon rd.; bronze tablet stamped "4136"

4134.900

Hoosier and Gray Mines, between, on top of ridge, 180 ft. N. of water tanks, 40 ft. N. of wagon rd., in concrete boulder; bronze tablet stamped "3979"

3978.270

FILE COPY

6-25-64 sms

AKL

GLOBE (164)

Arizona

R. Philips, 1905

Third Order

Adjusted Elevations Based On
Sea Level Datum of 1929

Book: 6624

Latitude 33°15'

Longitude 110°45'

FILE COPY

(6) FROM BIXBY RANCH (FORMERLY HORREL RANCH) NORTH ALONG OLD GLOBE-ROOSEVELT ROAD INTO ROCKINSTRAW MOUNTAIN QUADRANGLE (187)

Globe, 6 mi. NW. of; standard iron post with bronze cap stamped "3170 PHNX" (Described in Line 4)

Lost

¹⁸⁰
3169.105

Geralds Ranch, 300 ft. N. of house, 200 ft. W. of Pinal Creek, 20 ft. E. of rd., at fence corner, in stone flush with ground; aluminum tablet stamped "3069 PHNX"

3067.868

FILE COPY

6-25-64 sms *SK*

GLOBE (164)

Arizona

L.E. Marsden, 1944
D. Meyer, 1963

Third Order

Adjusted Elevations Based
On Sea Level Datum of 1929

Books: V 117, PV 484
P. 2

Latitude 33°15' Longitude 110°45'

(7) FROM GLOBE WEST VIA U. S. HIGHWAYS 60 AND 70 TO A POINT NEAR
PINAL RANCH THENCE NORTH INTO SUPERIOR QUADRANGLE (165)

"W 16 1933" (USC&GS)

3461.624

Globe, 2.2 mi. NW. of Gila County Courthouse along U.S. High-
ways 60 and 70, 50 ft. N. and 65 ft. E. from intersection of
highway and rd. to Central Heights, on E. edge of old concrete
rd., 3 ft. S. of wire fence; chiseled square

3481.24^{21 2}

Central Heights, 235 ft. NE. of main intersection along paved
rd. to Globe, 15 ft. NW. of center of rd. on SW. corner of W.
concrete headwall of 24-in. culvert; chiseled square

3476.73

Globe, 3.3 mi. W. of Gila County Courthouse along U.S. High-
ways 60 and 70; 0.1 mi. E. of junction of Apache Trail (State
Highway 88); 0.1 mi. E. of crossing of a Southern Pacific RR.
and highway; 160 ft. S. of the SW. headwall of concrete "Box
Bridge" over Russell Gulch, 19 ft. below the highway, 10 ft. W.
of a power pole, 1 ft. N. of a witness sign; on a copper-coated
rod; a standard tablet stamped "RESET 1966 1M 1944 3323"

3313.864

Reference mark, 115 ft. S. of tablet, in center of N. concrete
headwall of cattleguard across Midland City Rd.; Arizona State
Highway Department bronze tablet (unstamped) (Tied to C&GS)

3318.636

Globe, 3.6 mi. W. of Gila County Courthouse along U.S. High-
ways 60 and 70, 0.2 mi. W. of crossing of Southern Pacific RR.,
125 ft. NE. of center of concrete bridge, 50 ft. N. of center
of highway, in concrete block scribed "CENTER SECTION 21"; 3-
in. iron pipe with cap stamped "3305.84"

3305.462

Globe, 4.8 mi. W. of Gila County Courthouse, 1.2 mi. E. of post
office at Miami, 860 ft. W. of pedestrian overpass at George
Washington School, 60 ft. N. and 10 ft. E. from highway and
street intersection, 2 ft. W. of fence corner; in concrete block
scribed "BLOCK 22", 2-in. iron pipe

3356.512

Miami, 3 ft. NW. of entrance to post office, in sidewalk; stand-
ard tablet stamped "2 M 1944 3411" (Tied to C&GS)

3410.892

Miami, 1 mi. SW. of along U.S. Highways 60 and 70, 35 ft. N. of
and 4 ft. lower than center of highway, in center of N. headwall
of concrete culvert; ASHD tablet stamped "STA 404+65 ELEV 3489.65" 3489.127

Miami, 1 mi. SW. of along U.S. Highways 60 and 70, 25 ft. N. of
and 1 ft. lower than center of highway, in center of N. headwall
of concrete culvert; ASHD tablet stamped "STA 407+70 ELEV 3482"

3483.371

GLOBE (164)

Arizona

L. E. Marsden, 1944
D. Mayer, 1963

Third Order

Adjusted Elevations Based
on Sea Level Datum of 1929

Books: V 117a
PV 484

FILE COPY

- (7) Miami, 2.0 mi. SW. of along U. S. Highways 60 and 70, 20 ft. S. of center of highway, in S. headwall of concrete culvert; ASHD tablet stamped "STA 346+05 ELEV 3632.55" 3632.132⁶
- Reference mark, 115 ft. E. of disk, in center of S. headwall of concrete culvert; ASHD tablet (unstamped) 3625.211
- Miami, 3.2 mi. SW. of post office along U. S. Highways 60 and 70, at concrete bridge over Needle Creek, 200 ft. E. of ranch house, 40 ft. N. of and 10 ft. lower than center of highway, in headwall, ASHD tablet (unstamped) 3883.820
- Reference mark, 200 ft. N. of tablet, on right bank of Needle Creek, on SE. corner of square concrete water tank; chiseled circle 3886.108
- Miami, 3.6 mi. SW. of post office along U. S. Highways 60 and 70, in center of S. concrete headwall of cattleguard; ASHD tablet stamped "STA 259+50 ELEV 3996.03" 3995.540
- Miami, 4.4 mi. SW. of post office along U. S. Highways 60 and 70, in center of N. headwall of concrete culvert; ASHD tablet stamped "STA 261+81 ELEV 4190.01" 4189.563
- Miami, 4.7 mi. SW. of post office along U. S. Highways 60 and 70, 70 ft. S. of intersection of highways and rd. to Castle Dome Mine, 16 ft. higher than center of highway, in granite boulder; standard tablet stamped "3 M 1944 4287" (Tied to C&GS) 4287.236
- Reference mark, 100 ft. NE. of tablet, on W. end of S. concrete headwall of cattleguard; chiseled square 4266.430
- Miami, 5.6 mi. SW. of post office along U. S. Highways 60 and 70, 100 ft. SE. of 25 ft. rock cut, on N. end of W. concrete headwall of 24 in. culvert; chiseled square 4298.582
- Miami, 6.4 mi. SW. of post office along U. S. Highways 60 and 70, 2.7 mi. E. of Gila-Pinal county line, 300 ft. NW. of highway bridge over Pinto Creek, at 24 in. culvert, in SE. corner of W. headwall; standard tablet stamped "4 M 1944 4201" (Tied to C&GS) 4201.625
- Reference mark, 200 ft. NE. of tablet, on W. end of N. headwall of 24 in. concrete culvert; chiseled square 4213.019
- Miami, 7.5 mi. SW. of post office along U. S. Highways 60 and 70, 0.3 mi. E. of Top of the World Tavern, in rock cut, 40 ft. N. of and 15 ft. higher than center of highway, on large granite boulder; chiseled square 4577.769

FILE COPY

GLOBE (164)

Arizona

L. E. Marsden, 1944
D. Mayer, 1963

Third Order

Adjusted Elevations Based
on Sea Level Datum of 1929

Books: V 117a
~~27-484~~

FILE COPY

- (7) Miami, 8.2 mi. SW. of post office along U. S. Highways 60 and 70, 3.5 mi. W. of jet. to Castle Dome Mine, 0.9 mi. E. of Pinal-Gila County line, 0.5 mi. W. of Top of the World Tavern, in center of headwall of a concrete steel culvert; chiseled square 4564.594
- Miami, 9.1 mi. SW. of post office along U. S. Highways 60 and 70, 70 ft. N. and 125 ft. E. from intersection of center of highway and Gila-Pinal county line, 4 ft. higher than center of highway, in large granite boulder 1 ft. above bronze marker inscribed "MIAMI SUPERIOR HIGHWAY"; standard tablet stamped "5 M 1944 4615" 4615.367
- Reference mark, 10 ft. E. of county line, on E. end of N. headwall of concrete cattleguard; chiseled square 4612.988
- Miami, 9.8 mi. SW. of post office along U. S. Highways 60 and 70, 0.7 mi. W. of Gila-Pinal county line, near Pinal Ranch, 150 ft. E. of jet. of highway and rd. N, at concrete bridge, on SW. corner at W. end of S. headwall; chiseled square 4528.170
- Miami, 9.8 mi. SW. of post office along U. S. Highways 60 and 70, thence 1.2 mi. NE. from, 2.2 mi. SW. of Carlota Mine, 60 ft. SE. of jet. of rds. to mine and to Powers Gulch, 15 ft. E. of and 4 ft. higher than center of rd., on granite boulder; chiseled square 4285.919
- Carlota Mine, 0.6 mi. S. of, in sec. 1, T. 1 S., R. 13 E., 0.2 mi. E. of Carl Eder cabin, 0.2 mi. W. of Powers Gulch, 30 ft. NW. of trail jct., on boulder set in concrete and projecting 4 in. above ground; chiseled square 3836.327
- Carlota Mine, 500 ft. NE. of, on sharp rocky top, 100 ft. N. of rd., in boulder; standard tablet stamped "6 M 1944 3642" 3642.229 ✓
- Carlota Mine, 0.6 mi. E. of, 80 ft. N. of crossing of rd. and Pinto Creek, in root on W. side of 15 in. sycamore tree; copper nail and washer 3535.258
- Carlota Mine, 2.0 mi. NE. of, 7.2 mi. S. of Horrel Ranch, 0.2 mi. W. of Castle Dome Sluice Dam, 60 ft. N. of and 20 ft. higher than rd. intersection, in rectangular boulder; standard tablet stamped "7 M 1944 3912" 3912.898 ✓
- Reference mark, 320 ft. NW. of tablet, in root on W. side of lone 10 in. pine tree; copper nail and washer 3894.175

GLOBE (164)

Arizona

L. E. Marsden, 1944

~~D. Meyer, 1963~~

Third Order

Adjusted Elevations Based
on Sea Level Datum of 1929

Books: V 117a P. 8
PV 484

FILE COPY

(7) Morrel Ranch, 6.0 mi. S. of, 3.3 mi. NW. of jet. of Castle Dome
and Pinto Creek Roads, 0.2 mi. W. of switch-back, 40 ft. SW. of
rd., in root on S. side of 12 in. lone pine tree; copper nail
and washer

3846.610

Morrel Ranch, 4.5 mi. S. of, 4.6 mi. NW. of jet. of Castle Dome
and Pinto Creek Roads, 2.8 mi. N. of Castle Dome Sluice Dam,
40 ft. S. of fence, in boulder; standard tablet stamped "8 M
1944 3498"

3498.239 ✓

Reference mark, 40 ft. NE. of tablet, at concrete cattleguard,
on N. end of E. wall; chiseled square

3495.967

Page 4 of 4

Line #7: For "3305.462" & "3356.512" also "3476.73"
 NOTE: This line was run by Third Order methods but closure
 was 0.163 ft. low in a distance of 2.17 miles. This closure error has been prorated in the line.
 quad 164 line 7

6-25-64 sms

ms

FILE COPY

GLOBE (164)

Arizona

L. E. Marsden, 1944

Third Order

Adjusted Elevations Based on
Sea Level Datum of 1929

Book: V 117a

P. 9 Latitude 33°15'

Longitude 110°45'

FILE COPY

- (8) FROM SUPERIOR QUADRANGLE (165) EAST ALONG ROAD TO HORREL RANCH
THENCE EAST VIA TRAIL AND GERALD WASH ROAD TO STATE HIGHWAY
88 (FORMERLY APACHE TRAIL)

Pinal Ranch, 13.2 mi. N. of on Pinto Creek Road, 225 ft. SW.
of Horrel Ranch house, in top of long concrete water trough;
standard tablet stamped "10 M 1944 2938"

2938.900

Reference mark 1, 0.5 mi. S. of tablet, on S. end of W. head-
wall of concrete cattleguard; chiseled square

2970.523

Reference mark 2, 10 ft. NE. of tablet, 115 ft. SW. of house,
on NE. corner of concrete water trough; chiseled square

2939.536

Horrel Ranch, 3.3 mi. E. of, 0.6 mi. SE. of Barnes Peak, on
main divide between Pinal and Pinto Creeks, 880 ft. N. of
Forest Service trail, 80 ft. E. of N.-S. fence, at summit of
low top between Barnes Peak and Webster Mtn., in boulder;
standard tablet stamped "11 M 1944 4851"

4851.642

Reference mark, 100 ft. NW. of tablet, 5 ft. E. of fence, in
W. end of trunk of 8 in. juniper tree; copper nail and washer

4834.591

Horrel Ranch, 5.5 mi. E. of, 5.0 mi. W. of State Highway 88
(formerly Apache Trail) along Gerald Wash Road, 0.4 mi. W.
of house, at trail forks, in N. end of W. concrete headwall
of concrete cattleguard; standard tablet stamped "12 M 1944
4051"

4051.346

Reference mark, 285 ft. E. of tablet, 15 ft. N. of rd., in
center of clump of black walnut trees; copper nail and washer

4038.798

Horrel Ranch, 6.9 mi. E. of, 3.6 mi. W. of State Highway 88
along Gerald Wash Road, 1.0 mi. E. of house, at cattleguard,
on W. end of N. concrete headwall; chiseled square

3751.368

Globe, 8.1 mi. N. along Apache Trail Highway thence 2.5 mi.
W. from along Gerald Wash Road, 25 ft. S. and 65 ft. E. of
rd. intersection, in large rock 10 ft. higher than rd.;
standard tablet stamped "13 M 1944 3539"

3538.998 ✓

Globe, 8.1 mi. N. along Apache Trail Highway thence 1.3 mi.
W. from along Gerald Wash Road, 15 ft. E. of rd., 3 ft. E.
of fence, in boulder 3 ft. higher than rd.; chiseled square

3324.236

"A 17 1933" (USCAGS)

3121.910

FILE COPY

GLOBE (164)

Arizona

L. E. Marsden, 1944

Third Order Adjusted Elevations Based On
Sea Level Datum of 1929

Book: V 117a

Latitude 33°15'

Longitude 110°45'

FILE COPY

- (9) FROM A POINT ON SOUTHERN PACIFIC RAILROAD 0.7 MILE WEST OF RADIUM SIDING WEST VIA LOUIS D'OR MINE ROAD AND LOST GULCH TO MONEY METAL MINE THENCE NORTH TO A POINT ON GERALD WASH ROAD 0.3 MILE WEST OF GIACOMA CAMP

"Z 16 1933" (USCAGS) 3212.802

State Highway 88 (formerly Apache Trail Highway), 0.5 mi. W. of along Louis D'or Mine Rd., at entrance to Crook National Forest, at concrete cattleguard, on W. end of S. headwall; chiseled square 3311.674

State Highway 88, 2.0 mi. W. of along Louis D'or Mine Rd., 0.2 mi. E. of bridge at switchback, 35 ft. S. of and 5 ft. lower than rd., in prominent quartz ledge; standard tablet stamped "14 M 1944 3611" 3611.058

Reference mark, 80 ft. NW. of tablet, 6 ft. S. of rd., in concrete rock spillway, center of "0" in inscribed date "1920" 3613.893

State Highway 88, 2.6 mi. W. of along Louis D'or Mine Rd., at old camp site, 65 ft. E. of center of rd., in root on W. side of 15 in. juniper tree; copper nail and washer 3806.966

State Highway 88, 3.4 mi. W. of along Louis D'or Mine Rd., 100 ft. W. of rd. through saddle, 10 ft. E. of small juniper tree, in boulder; standard tablet stamped "15 M 1944 3993" 3993.098 ✓

Reference mark, 0.4 mi. SW. of tablet, at boundary of Crook National Forest, at cattleguard, on W. end of E. headwall; chiseled square 3901.191

State Highway 88, 4.6 mi. W. of, on left bank of Lost Gulch, 200 ft. SW. of intersection, 150 ft. S. of house, 40 ft. higher than creekbed, in trunk of juniper tree; copper nail and washer 3695.684

State Highway 88, 5.4 mi. W. of along rd. to Fly Ranch, 300 ft. NE. of Lost Gulch, at boundary of Crook National Forest; at cattleguard, in W. end of W. headwall; chiseled square 3814.585

Fly Ranch, 0.5 mi. W. of by horse trail, at jct. of Lost Gulch and prominent drain from S., in root on NW. side of double 24 in. sycamore tree; copper nail and washer 4024.361

FILE COPY

6-26-64 sms L228

GLOBE (164)

Arizona

L. E. Marsden, 1944

Third Order

Adjusted Elevations Based
on Sea Level Datum of 1929

Book: V 117a

FILE COPY

- (9) Fly Ranch, 1.0 mi. NW. of along Lost Gulch Trail, 300 ft. S. of Money Metal Mine, 25 ft. NW. of intersection of Lost Gulch and drain from N, 9 ft. NW. of 8 in. cottonwood tree, in boulder; chiseled square

4138.414

Money Metal Mine, 1.0 mi. N. of, 1.4 mi. S. of Gerald Wash Rd., 20 ft. W. of center of rd. at summit in center of clump of three small live oak trees; copper nail and washer

4405.575

Horrel Ranch, 5.5 mi. E. of; standard tablet stamped "12 N 1944 4051" (Described in Line 8)

4051.346 ✓

Page 2 of 2

FILE COPY

6-26-54 sms

11223

GLOBE (164)

Arizona

L. E. Marsden, 1944

Third Order

Adjusted Elevations Based
on Sea Level Datum of 1929

Book: V 117a

Latitude 33°15'

Longitude 110°45'

FILE COPY

- (10) FROM MONEY METAL MINE WEST VIA MYBERG BASIN AND EASTWATER CANYON TO HORREL RANCH THENCE NORTH INTO ROCKINSTRAW MOUNTAIN QUADRANGLE (187)

Fly Ranch, 1.0 mi. NW. of along Lost Gulch Trail; chiseled square
(Described in Line 9) 4138.414

Fly Ranch, 1.0 mi. NW. of along Lost Gulch Trail, 300 ft. S. of
Money Metal Mine, 25 ft. NW. of intersection of Lost Gulch and
prominent drain from N., 9 ft. NE. of 8 in. cottonwood tree, in
boulder; standard tablet stamped "21 M 1944 4138" 4138.256

Reference mark, 580 ft. SW. of tablet, 20 ft. N. of center of
Lost Gulch, in root on N. side of 24 in. cottonwood tree; copper
nail and washer 4155.964

Money Metal Mine, 1.1 mi. W. of along Lost Gulch, 300 ft. SW. of
drain, 10 ft. S. of center of drain and almost opposite small
ash tree growing in center of drain, in root on S. side of
westernmost of three ash trees; copper nail and washer 4547.842

Money Metal Mine, 2.5 mi. W. of, 1.5 mi. S. of summit of Webster
Mtn., 1.0 mi. N. of residential section of Castle Dome Mine, on
divide between Pinal and Pinto Creeks, on small top between two
saddles at head of Lost Gulch, in rock 3 ft. lower than highest
point of top; standard tablet stamped "22 M 1944 5333" 5333.453 ✓

Reference mark, 130 ft. E. of tablet, in root on N. side of 8 in.
live oak tree; copper nail and washer 5308.284

Horrel Ranch, 5.1 mi. SE. of, on main divide between Eastwater
Gulch and Gold Gulch, 1.0 mi. N. of Porphyry Mtn., in root on N.
side of clump of juniper trees; copper nail and washer 4552.818

Horrel Ranch, 4.6 mi. SE. of along Eastwater Gulch, 3.0 mi.
from Pinto Creek, 100 ft. SE. of drain forks, 30 ft. E. and 4
ft. higher than drain from S., at W. end of yellow ridge, in
crotch of lilac tree; copper nail and washer 3988.691

Horrel Ranch, 3.6 mi. SE. of along Eastwater Gulch, 2.5 mi. from
Pinto Creek, 100 ft. E. of drain forks, 25 ft. S. of main channel,
in root on E. side of lone cottonwood tree; copper nail and washer 3688.426

FILE COPY

6-26-64 sms

117B

BLORNE (164)

Arizona

L. E. Marsden, 1944

Third Order

Adjusted Elevations Based
on Sea Level Datum of 1929

Book: V 117a-V 117 b

FILE COPY

(10) Horrel Ranch, 1.8 mi. SE. of, 0.8 mi. E. of jet. of Pinto Creek and Eastwater Gulch, 30 ft. W. of drain, in root on NW. side of 48 in. tree, in largest of group of juniper trees; copper nail and washer

3227.483

Horrel Ranch, 1.1 mi. SE. of, at jet. of Pinto Creek and Eastwater Gulch, 80 ft. E. of creek and 40 ft. S. of gulch, in trunk on E. side of leaning 18 in. sycamore tree; copper nail and washer

2990.741

Pinal Ranch, 13.2 mi. N. of on Pinto Creek Road, at Horrel Ranch; standard tablet stamped "10 N 1944 2938" (Described in Line 8)

2938.900

DOUBLE-RUN SPUR FROM THIS POINT

Horrel Ranch, 1.6 mi. N. of along Pinto Creek, on E. side of creek at narrows, 375 ft. S. of prominent drain from E., in trunk on E. side of 15-in. sycamore tree; copper nail and washer

2864.93

6-26-64 sms

FILE COPY

GLOBE (164)

Arizona

L. E. Marsden, 1944

Third Order

Adjusted Elevations Based
on Sea Level Datum of 1929

Book: V 117a

Latitude 33°15'

Longitude 110°45'

FILE COPY

- (11) FROM GLOBE EAST ALONG U. S. HIGHWAYS 60 AND 70 TO THEIR JUNCTION
THENCE NORTHEAST ALONG U. S. HIGHWAY 60 INTO GILSON QUADRANGLE
(163)

"V 16 1933" (USCGS)

3543.644

Globe 1.1 mi. E. of post office, 0.1 mi. W. of jct. of U. S.
Highways 60 and 70, at concrete bridge, on W. end of W. coping
1 ft. higher than floor of bridge; chiseled square

3630.93

Globe, 2.9 mi. NE. of, 0.3 mi. N. of summit, 4 ft. lower than
center of highway, at concrete culvert, on N. end of E. head-
wall; chiseled square

3774.10

FILE COPY

6-26-64 sms

V 117a

GLOBE (164)

Arizona

L.E. Marsden, 1944

Third Order

Adjusted Elevations Based
On Sea Level Datum of 1929

FILE COPY

Book: V 117a

Latitude 33°15'

Longitude 110°45'

- (12) FROM GILSON QUADRANGLE (163) NORTHWEST ACROSS NORTHEAST CORNER OF QUADRANGLE JOGGING INTO ROCKINSTRAW MOUNTAIN QUADRANGLE (187) THENCE SOUTHWEST ALONG ROAD TO BIXBY RANCH

Globe, 10.3 mi. NE. of post office along U.S. Highway 60, 0.5 mi. NW. of earth tank near head of Quartzsite Canyon, on ridge, 700 ft. S. of prominent saddle, 30 ft. SW. of fence corner, in quartzsite boulder; standard tablet stamped "18 M 1944 4771"

4771.483

Bixby Ranch, 4.6 mi. NE. of, 300 ft. N. of Nugget Wash, 250 ft. N. of small group of Saguaro cactus, 60 ft. S. of rd., 50 ft. E. of side drain, in granite boulder; standard tablet stamped "20 M 1944 3781"

3780.673

Reference mark, 400 ft. SW. of tablet, on W. side of small drain, 150 ft. N. of Nugget Wash, in crotch of lone juniper tree; copper nail and washer

3757.87

Bixby Ranch, 3.3 mi. NE. of, 0.4 mi. NW. of Nugget Wash, 10 ft. NW. of center of rd., in root on SE. side of lone 10-in. juniper tree, in fence corner; copper nail and washer

3609.74

Globe, 6 mi. N. along Apache Trail Highway, thence 1 mi. NE. from along a county rd., at the S.L. Bixby Ranch in 1933; standard iron post with bronze cap stamped "3170 PHNX" (Described in Line 4)

3169.105

GLOBE (164)

Arizona

J. D. Brittenham, 1947

Third Order Adjusted Elevations Based on
Sea Level Datum of 1929

Book: IV 14a

P. 1

Latitude 33°15'

Longitude 110°45'

FILE COPY

all
C/K

(13) FROM THE SCHULTZE RANCH ON U. S. HIGHWAYS 60 AND 70 4.7 MILES WEST OF MIAMI SOUTH ALONG ROAD TO THE HAGEN RANCH AT GOVERNMENT SPRING THENCE NORTHEAST ALONG ROAD LEADING TO GLOBE TO POINT ON PINAL CREEK ROAD 8.0 MILES SOUTH OF GLOBE

Miami, 4.7 mi. SW. of post office along U. S. Highways 60 and 70; standard tablet stamped "3 M 1944 4287" (Described in Line 7) 4287.247

Miami, 4.7 mi. SW. of post office along U. S. Highways 60 and 70, 75 ft. NE. of intersection of highways, with Castle Dome Mine Rd., 64 ft. NW. of center of highway, in center of N. concrete head-wall of new 16 by 7 ft. cattleguard for new section of U. S. Highways 60 and 70 (not completed) ASHD brass tablet stamped "1 JDB 1947 4264" 4264.728⁷

Miami, 4.7 mi. SW. of post office along U. S. Highways 60 and 70, thence 0.8 mi. S. along dirt rd. at steel guard, 8 ft. SW. of center of rd., on W. concrete headwall; chiseled square 4549.64

Miami, 4.7 mi. SW. of post office along U. S. Highways 60 and 70, thence 1.6 mi. S. of along dirt rd., 0.9 mi. N. of MF Ranch, 80 ft. NE. of center of creek crossing, 30 ft. N. of and 6 ft. higher than center of creek, on solid ledge; chiseled square 4415.95

MF Ranch, 28 ft. N. of front gate entrance, in NW. end of figure "B" cement fish pond; standard tablet stamped "2 JDB 1947 4508" 4508.602

Reference mark, 100 ft. N. of tablet, 30 ft. N. of NW. drive entrance gate, 35 ft. NE. of end 4 ft. higher than center of rd., in butt on W. side of 36 in. twin oak tree; copper nail and washer 4515.18

MF Ranch, 1.4 mi. S. of, 150 ft. NE. of old abandoned mine and dump, 130 ft. SE. of small cattle corral, 62 ft. E. of and 2 ft. higher than center of rd., 30 ft. NW. of metal water tank on E. bank of Pinto Creek, on large schist ledge; chiseled square 4684.73

MF Ranch, 1.7 mi. S. of, 85 ft. E. of and 3 ft. lower than center of rd. jct., 35 ft. SW. of and 4 ft. higher than center of Pinto Creek, on schist ledge; chiseled square 4732.38

MF Ranch, 1.7 mi. S., thence 0.9 mi. E. from, 6.5 mi. SW. of Shultze Ranch, at F. R. Henderson Ranch; aluminum tablet stamped "4864 PHNX" (Described in Line 3) 4863.377

GLOBE (164)

Arizona

J. D. Brittenham, 1947

Third Order

Adjusted Elevations Based on
Sea Level Datum of 1929

FILE COPY

Book: PV 14a

- (13) Reference mark, 295 ft. SW. of tablet, 22 ft. SE. of and 4 ft. higher than center of Pinto Creek, 8 ft. N. of center of rd., in butt on E. side of 24 in. sycamore tree; copper nail and washer 4855.89
- MF Ranch, 3.0 mi. S. of along Hagen Ranch Road, 45 ft. SW. of and 1 ft. higher than center of cattleguard at summit of ridge divide, in large rock outcrop; standard tablet stamped "3 JDB 1947 5087" 5087.832
- Reference mark, 50 ft. NE. of tablet, in large rock outcrop; chiseled square 5091.07
- MF Ranch, 4.2 mi. S. of, at rd. jct., in low saddle, 100 ft. S. of and 3 ft. lower than intersection, 25 ft. SW. of and 2 ft. lower than center of rd. leading S. to Arizona-Globe Copper Co., on large granite boulder; chiseled square 4530.73
- MF Ranch, 4.7 mi. S. of, 300 ft. NW. of John Woods cabin, 65 ft. SW. of and 15 ft. higher than center of rd., 42 ft. NE. of gate to small wire cattle corral, at S. end of low saddle, on large rock outcrop; chiseled square 4484.12
- MF Ranch, 5.7 mi. S. of, 300 ft. SW. of center of saddle, 35 ft. SE. of and 20 ft. higher than center of rd., in schist rock ledge; standard tablet stamped "4 JDB 1947 3877" 3876.937
- Reference mark, 115 ft. E. of tablet, 200 ft. S. of center of saddle, 30 ft. SE. of and 12 ft. higher than center of rd., in butt on W. side of 8 in. mesquite tree; copper nail and washer 3881.48
- MF Ranch, 6.7 mi. S. of, 4.2 mi. N. of Hagen Ranch, at wire cattle corral at point where rd. descends into dry creekbed, 45 ft. SW. of and 5 ft. lower than metal water tank on side of hill, 30 ft. NW. of and 3 ft. higher than center of SW. gate to corral, on flat outcrop; chiseled square 3250.82
- Hagen Ranch, 2.9 mi. N. of, at point where rd. crosses deep main creekbed running in N.-S. direction, 42 ft. S. of and 2 ft. higher than center of creek X-ing, in butt on W. side of 18 in. desert willow tree; copper nail and washer 2987.36
- Hagen Ranch, 2.1 mi. N. of, at ranch house and corral in small level clearing (ranch house abandoned), 65 ft. SE. of SE. corner of main ranch house, in concrete wall of cement water trough in center of corral; standard tablet stamped "5 JDB 1947 2894" 2894.871

FILE COPY

GLOBE (164)

Arizona

J. D. Brittenham, 1947

Third Order Adjusted Elevations Based on
Sea Level Datum of 1929

Book: PV 14a

FILE COPY

- (13) Reference mark, 70 ft. N. of tablet, in butt on S. side of 24 in. twin-mesquite tree; copper nail and washer 2894.30
- Hagen Ranch, 1.2 mi. N. of, at jct. of Mineral Creek and Dry Mineral Creek, 300 ft. SE. of jct. of creeks, 100 ft. S. of and 3 ft. lower than center of rd., at abandoned cattleguard, 20 ft. S. of and 8 ft. higher than center of Mineral Creek, on large rock; chiseled square 2827.77
- Hagen Ranch, 300 ft. NW. of main ranch house, at Government Springs, 100 ft. N. of and 8 ft. higher than center of Mineral Creek, in center of S. concrete headwall of concrete and steel cattleguard; standard tablet stamped "6 JDB 1947 2957" 2957.130
- Reference mark, 68 ft. N. of tablet, on S. end of concrete water trough in center of corral; chiseled square 2960.34
- Hagen Ranch, 0.5 mi. NE. of along rd. leading to Globe, at cattleguard, on vertical bolt head of E. headwall, reinforcement of concrete and steel cattleguard; chiseled cross 3213.87
- Hagen Ranch, 1.5 mi. NE. of along rd. leading to Globe, 450 ft. E. of NE. corner post of wire fence line, 28 ft. SE. of and 4 ft. lower than center of rd., on rock boulder; chiseled square 3506.92
- Hagen Ranch, 2.7 mi. NE. of along rd. leading to Globe, 38 ft. SE. of and 5 ft. lower than center of rd., in boulder; standard tablet stamped "7 JDB 1947 3927" 3927.407
- Reference mark, 120 ft. SW. of tablet, 28 ft. SW. of center of rd., on rock boulder; chiseled square 3917.33
- Hagen Ranch, 3.5 mi. NE. of along rd. leading to Globe, at old rd. jct., 21 ft. SW. of and 1 ft. lower than intersection, 29 ft. S. of center of main rd., on boulder; chiseled square 4121.74
- Hagen Ranch, 4.5 mi. NE. of along rd. leading to Globe, 100 ft. SW. of and 12 ft. lower than NW. corner post of corral, 175 ft. S. of and 7 ft. lower than center of rd., in rock ledge; standard tablet stamped "8 JDB 1947 4487" 4487.591
- Reference mark, 50 ft. SW. of tablet, on N. bank of small gully, on schist ledge; chiseled square 4484.86

GLOBE (164)

Arizona

J. D. Brittenham, 1947

Third Order

Adjusted Elevations Based on
Sea Level Datum of 1929

Book: FV 14a

FILE COPY

- (13) Hagen Ranch, 5.4 mi. NE. of along rd. leading to Globe, 0.2 mi. NE. of Samsel Mine Road jct., 50 ft. E. of and 6 ft. lower than center of rd., in butt on W. side of 36 in. oak tree; copper nail and washer 4953.36
- Hagen Ranch, 6.4 mi. NE. of along rd. leading to Globe, 11 ft. E. of and 2 ft. higher than center of rd., in butt on W. side of 24 in. oak tree; copper nail and washer 5575.86
- Hagen Ranch, 7.0 mi. NE. of along rd. leading to Globe, 0.5 mi. SE. of rd. jct., at point where rd. makes sharp "U" turn at rd. junction, at head of Russell Canyon, 55 ft. NE. of and 3 ft. lower than intersection, 8 ft. N. of and 7 ft. higher than center of rd. leading in SE. direction, on large ledge outcrop; chiseled square 6010.57
- Hagen Ranch, 7.5 mi. NE. of along rd. leading to Globe, at main rd. jct. at head of Russell Canyon, 60 ft. E. of intersection with sign: "PINAL MOUNTAIN RECREATIONAL AREA 5 MI., MADERA PEAK 4 MI.", 18 ft. N. of and 2 ft. lower than center of rd. leading SE. to Hagen Ranch and to Pinal Mountain Recreational Area, in center of N. concrete headwall of 18 in. metal culvert; standard tablet stamped "9 JDB 1947 6011" 6011.738
- Reference mark, 36 ft. S. of tablet, on E. end of concrete drain basin of 18 in. metal culvert; chiseled square 6013.44
- Hagen Ranch, 8.6 mi. NE. of along rd. leading to Globe, thence 0.6 mi. SE. along old mining rd. leading to abandoned town of Doak, at point where rd. makes sharp turn to go around ridge point, 75 ft. NW. of center of curve, 25 ft. W. of center of rd., in butt on E. side of 24 in. oak tree; copper nail and washer 5803.67
- Hagen Ranch, 8.6 mi. NE. of along rd. leading to Globe, thence 2.1 mi. SE. along old mining rd. leading to abandoned town of Doak, at jct., on top of ridge, at first mining cabin, 150 ft. SE. of old mining cabin on W. bank of small gully, 55 ft. SW. of and 2 ft. lower than intersection, in schist boulder; standard tablet stamped "10 JDB 1947 5128" 5128.515
- Reference mark, 100 ft. E. of tablet, in butt on SW. side of 18 in. oak tree; copper nail and washer 5134.63
- Doak Mining cabin, 1.1 mi. SE. of along old trail leading to Clark's Mine, at top of long steep trail climbing out of Mineral Creek, 350 ft. NE. of lone 36 in. juniper tree, on top of ridge, 25 ft. NE. of and 8 ft. higher than center of trail, on round granite boulder; chiseled square 5008.83

GLOBE (164)

Arizona

J. D. Brittenham, 1947

Third Order

Adjusted Elevations Based on
Sea Level Datum of 1929

Book: FV 14a

FILE COPY

- (13) Doak Mining cabin, 2.6 mi. SE. of along old trail leading to Clark's Mine, 0.2 mi. NE. of main mine shafts equipment, 160 ft. NE. of wide flat rd. turnout, 10 ft. SE. of and 1 ft. higher than center of rd., in ledge of large outcrop; standard tablet stamped "11 JDB 1947 5279" 5279.285
- Reference mark, 50 ft. SW. of tablet, on top of rock ledge; chiseled square 5272.75
- Doak Mining cabin, 2.5 mi. SE. of along old trail leading to Clark's Mine thence 0.8 mi. NE. of along old rd. leading to Globe, at summit of first ridge, in low saddle, 50 ft. N. of and 6 ft. higher than center of rd. at summit, on round boulder; chiseled square 5653.28
- Doak Mining cabin, 2.6 mi. SE. of along old trail leading to Clark's Mine thence 1.7 mi. NE. of along old rd. leading to Globe, 45 ft. NW. of and 5 ft. higher than rd. jct., on round rock; chiseled square 5226.62
- Doak Mining cabin, 2.5 mi. SE. of along old trail leading to Clark's Mine thence 3.0 mi. NE. of along old rd. leading to Globe, at base of long steep hill, 55 ft. SW. of and 2 ft. higher than center of creek crossing, 28 ft. SE. of and 1 ft. higher than center of rd., in boulder; standard tablet stamped "12 JDB 1947 5328" 5328.655
- Reference mark, 110 ft. SW. of tablet, on granite boulder; chiseled square 5328.58
- Doak Mining cabin, 2.6 mi. SE. of along old rd. (trail) leading to Clark's Mine, thence 3.8 mi. NE. along old rd. leading to Globe, at point where rd. makes sharp "U" turn at rd. jct., 50 ft. SW. of center of "U" curve and intersection, on rock; chiseled square 5561.81
- Doak Mining cabin, 2.6 mi. SE. of along old trail leading to Clark's Mine, thence 4.8 mi. NE. along old rd. leading to Globe, 9 ft. N. of and 1.0 ft. higher than center of rd., in butt on SW. side of 36 in. lone juniper tree; copper nail and washer 5944.20
- Doak Mining cabin, 2.6 mi. SE. of along old trail leading to Clark's Mine, thence 5.8 mi. NE. along old rd. leading to Globe, at summit of Pioneer Pass over Pinal Mts., in center of E. concrete headwall of concrete and steel cattleguard; standard tablet stamped "13 JDB 1947 6156" 6156.065

GLOBE (164)

- Arizona

J. D. Brittenham, 1947

Third Order

Adjusted Elevations Based on
Sea Level Datum of 1929

Book: FV 14a

FILE COPY

- (13) Reference mark, 78 ft. NE. of tablet, on top of W. side of concrete base of Gila County cement boundary marker; chiseled square 6158.31
- Pioneer Pass, 1.2 mi. N. of summit along new rd. leading to Globe, 100 ft. NW. of sign "MIDDLE PIONEER PASS FOREST CAMP, CROOK NATIONAL FOREST", 50 ft. W. of and 3 ft. higher than center of rd., on large granite boulder; chiseled square 5739.75
- Pioneer Pass, 2.4 mi. N. of summit along new rd. leading to Globe, at point where rd. makes sharp "U" turn, 52 ft. SW. of and 3.0 ft. higher than center of rd., 23 ft. S. of 24 in. ponderosa pine tree, on boulder; chiseled square 5413.55
- Globe, 7.5 mi. S. of, 2.7 mi. N. of Pioneer Pass summit; standard aluminum tablet stamped "4962 PHHX" (Described in Line 1) 4961.874
- Reference mark, 55 ft. NW. of tablet, on large granite boulder; chiseled square 4959.11

6-26-64 sms

FILE COPY

AIRPORT ELEVATION

Aug 164
AREA OFFICE

STATE Arizona COUNTY Gila QUADRANGLE Gilson N.W. Ariz.
AIRPORT NAME Wheeler Crosswind PRIMARY REFERENCE approx. 5 miles NE of Globe, Arizona along highway 6
BM DESIGNATION AND ELEVATION _____ FEET ELEVATION HIGH POINT 3911 FEET
(If located) (Direction and distance) (On runway)

APPROXIMATE LATITUDE 33° 26' 30"

ELEVATION DETERMINED BY: LEVELS

APPROXIMATE LONGITUDE 110° 46' 30"

CLOSED STADIA TRAVERSE

IDENTIFICATION ON PHOTO # _____ ROLL # _____


(Other)

BRIEF DESCRIPTION OF HIGH POINT:

North end of air field at fence line.

SKETCH OF HIGHEST POINT WITH REFERENCE TO RUNWAYS:

SCALE 1" = 1000' ORIENTATION:



FILE COPY

(Please prepare in triplicate)

SUBMITTED BY: D. L. Ditus

DATE: 02/08/66

TITLE: _____

FIELD BOOK: _____

CHECKED BY: _____

PAGE: _____

TITLE: _____

Airports or landing fields having existing bench marks need not be reported.