


CUYAMACA PEAK

32°45'  
116 30

CALIFORNIA 20

NGS 32 116 41

(33) SANTA YSABEL



(9) POTRERO

(1) W.V. Hardy	1901	9130
(2) E.E. Harris	1938	B 7802
(3) W.V. Hardy	1901	9130
(4) E.E. Harris	1938	B 7802
(5) E.E. Harris	1938	B 7803
(6) E.E. Harris	1938	B 7803
(7) P.E. Sandoz Jr.	1938	B 7819
(8) P.E. Sandoz Jr.	1938	B 7819
(9) P.E. Sandoz Jr.	1938	B 7819
(10) P.E. Sandoz Jr.	1938	B 7819
(11) P.E. Sandoz Jr.	1938	B 7820
(12) W.V. Hardy	1901	9130 No BM's

CUYAMACA PEAK (20)

California

W.V. Hardy, 1901

Third Order

Adjusted Elevations Based  
On Sea Level Datum of 1929

FILE COPY

Book: 9130

Latitude 32°45'

Longitude 116°30'

- (1) FROM POTRERO QUADRANGLE (9) NORTHEAST ALONG ROAD VIA DESCANSO AND  
CUYAMACA INTO SANTA YSABEL QUADRANGLE (33)

"2866 SD" (Destroyed, 1957)

2864.89

Descanso, 1.5 mi. E. of; 2 ft. S. of signpost; on W. side of rd.; at *9-1105*  
junction of rd. to Campo; iron post stamped "3541 SD" (Not Found, 1957) 3540.08

Twin Pine Springs, 1.4 mi. S. of; 10 ft. E. of rd.; at junction of  
rd. leading E. to house of Mr. Hobb; iron post stamped "4132 SD"  
(Recovered by USC&GS in 1935)

4131.504

9-30-65 mh/bw



CUYAMACA PEAK (20)

California

E.E. Harris, 1938

Third Order

Adjusted Elevations Based  
On Sea Level Datum of 1929

FILE COPY

Book: B 7802

Latitude 32°45'

Longitude 116°30'

(2 & 4) FROM POTRERO QUADRANGLE (9) NORTHEAST ALONG ROAD TO CORTE MADERA

Harbaughs Ranch, 1.7 mi. SW. of; 20 ft. NW. of center of rd. at top of grade; in boulder; standard tablet stamped "1938 H 119 3286" 3285.394

Reference mark, 150 ft. SW. of tablet; on boulder; chiseled square 3269.64

Harbaughs Ranch, 100 ft. E. of tower; 52 ft. W. of center of gate to; and 8 ft. N. of center of rd.; in granite ledge; standard tablet stamped "1938 H 120 3779" 3778.938

Reference mark, 95 ft. W. of tablet; on boulder; chiseled square 3778.96

Corte Madera Ranch, now Benton's Ranch, 85 ft. N. of, section 21, T. 16 S., R. 4 E., in top of granite boulder; 6 x 6 x 1.5 ft.; bronze tablet stamped "3965 SD" (Established in 1902) 3964.170

Reference mark, 95 ft. N. of tablet, on boulder; chiseled square 3958.31

CUYAMACA PEAK (20)

California

W.V. Hardy, 1902

Third Order

Adjusted Elevations Based  
On Sea Level Datum of 1929

FILE COPY

Book: 9130

Latitude 32°45'

Longitude 116°30'

(3) FROM DESCANSO ALONG WAGON ROAD NORTHWEST TO SUMMIT EAST OF VIEJAS VALLEY

Descanso, 3 mi. W. of; section 14, T. 15 S., R. 3 E., 16 ft. SE. of  
rd. on summit E. of Viejas Valley; 27 ft. SE. of center of Viejas  
Grade Rd.; 10 ft. NW. of fence; in granite boulder; standard tablet  
stamped "3672 SD" (Recovered in 1938, Book: B 7820)

3671.342

Reference mark, 78 ft. N. of tablet, on granite boulder; chiseled  
square

3669.58

9-30-65 mh

*Handwritten signature*

CUYAMACA PEAK (20)

California

E.E. Harris, 1938

Third Order

Adjusted Elevations Based  
On Sea Level Datum of 1929

FILE COPY

Book: B 7803

Latitude 32°45'

Longitude 116°30'

- (5) FROM EL CAJON QUADRANGLE (21) GENERALLY NORTHEAST ALONG ROAD TO POINT  
0.6 MILE SOUTHWEST OF DESCANSO JUNCTION

Japatul School, 3 mi. NW. of; 600 ft. SE. of forks of private rd.  
leading N.; 13 ft. SW. of center of rd.; in boulder, one of many  
large boulders between rd. and creek; standard tablet stamped "1938  
H 128 1375" (Not Found, 1957)

1374.864

Reference mark, 50 ft. SE. of tablet, on boulder; chiseled square

1375.07

"1938 H 129 2047" (Destroyed, 1957)

9-1165

2046.766

Japatul School, 1.2 mi. SE. of; 58 ft. SE. of forks of Carveacre  
Truck Trail; 21 ft. NE. of center of rd.; in summit in boulder;  
standard tablet stamped "1938 H 130 2485"

2485.243

Reference mark, 160 ft. NW. of tablet, on boulder; chiseled square

2478.17

Japatul School, 3 mi. SE.; thence 0.6 mi. NE. from; about 0.4 mi.  
S. of location of old Japatul School; 72 ft. N. of gate; 23 ft. E.  
of center of rd.; 1.5 ft. E. of fence; in prominent granite boulder;  
standard tablet stamped "1938 H 131 2797" (Recovered by USC&GS in 1955)

2797.005

Reference mark, 53 ft. SW. of tablet; on boulder; chiseled square

2792.47

USGS bronze tablet stamped "2866 SD" (Destroyed, 1957)

9-1165

2864.891

NEW DESCRIPTION: (1957)

Alpine Post Office, 8.9 mi. E. along U.S. Highway 80; thence 0.2 mi.  
SE. along old U.S. Highway 80 to bridge over Sweetwater River; thence  
after crossing bridge 4.1 mi. SW. along Japatul Valley Rd., thence 0.2  
mi. SE. from along private rd.; 150 ft. NE. of U-bend in rd.; 15 ft.  
SE. of rd., 1.5 ft. NW. of fence; in prominent granite boulder;  
standard tablet stamped "132 H 1938 2876"

9-1165

2875.468

Reference mark, 55 ft. N. of tablet; on boulder; chiseled square

2875.47

Japatul School, 3 mi. SE.; thence 4.3 mi. NE. from; 14 ft. NW. of  
center of angle in rd. at drain; 17 ft. NE. of culvert; in granite  
ledge; standard tablet stamped "1938 H 133 3150" (Recovered by  
USC&GS in 1955)

3149.649

Reference mark, 85 ft. SW. of tablet; on granite ledge; chiseled  
square

3147.47

CUYAMACA PEAK (20)

California

E.E. Harris, 1938

Third Order

Adjusted Elevations Based  
On Sea Level Datum of 1929

FILE COPY

Book: B 7803

Latitude 32°45'

Longitude 116°30'

(6) FROM POINT 1.8 MILES NORTHEAST OF DESCANSO JUNCTION WEST ALONG HIGHWAY 80 INTO EL CAJON QUADRANGLE (21)

USC&GS standard disk stamped "U 308 1935" 3569.415

Descanso Junction, 0.6 mi. SW. of; 9.2 mi. E. of Alpine; at junction of U.S. Highway 80 and Japatul Valley Rd.; 43 ft. S. and 43 ft. E. of intersection; just E. of concrete highway bridge over Sweetwater River; 2 ft. N. and 23 ft. E. of fence corner; in concrete post; standard tablet stamped "1938 H 134 3299" (Recovered by USC&GS in 1944) 3299.173

Alpine, 7.5 mi. E. of; 34 ft. S. of center of angle in highway; across highway from drinking fountain; in granite ledge; standard tablet stamped "1938 H 135 3226" (Recovered by USC&GS in 1944) 3225.465

Reference mark, 125 ft. W. of tablet; N. edge of highway; in center of concrete headwall of culvert; chiseled square 3217.15

Alpine, 5.4 mi. E. of; 45 ft. SW. of angle in highway at forks of private rd. leading SE. to Schiefer Ranch; in concrete post; standard tablet stamped "1938 H 136 2670" (Recovered by USC&GS in 1944) (Not Found, 1957) 2669.325 *9-1165*

Reference mark, 285 ft. NW. of tablet; in concrete highway marker; steel bolt within a chiseled square 2655.58

NEW DESCRIPTION: (1957)  
Alpine Post Office, 2.4 mi. E. along U.S. Highway 80; thence 1.1 mi. NE. from along old U.S. Highway 80; 170 ft. NE. of a 48-in. corrugated pipe culvert, 44 ft. NW. of Highway; 7.3 ft. SE. of fence; among a group of large granite boulders; in granite boulder; standard tablet stamped "137 H 1938 2308" (Recovered by USC&GS in 1944) 2307.433

Reference mark, 355 ft. E. of tablet, N. edge of highway; on boulder; chiseled square 2310.921

Alpine, 1.5 mi. E. of; 46 ft. N. of center of highway; 13 ft. W. of center of driveway leading N. to Alpine Guard Station, 1.5 ft. S. of fence; in concrete post; standard tablet stamped "1938 H 138 2024" (Recovered by USC&GS in 1944) 2024.002

Reference mark, 50 ft. SE. of tablet; on concrete headwall of culvert; chiseled square 2020.691

CUYAMACA PEAK (20)

California

P.E. Sandoz, Jr. 1938

Third Order

Adjusted Elevations Based  
On Sea Level Datum of 1929

FILE COPY

Book: B 7819

Latitude 32°45'

Longitude 116°30'

(7) FROM GUATAY SOUTHEAST ALONG ROAD TO PINE VALLEY

USC&GS standard disk stamped "B 308 1935"

3914.216

Guatay, 1.9 mi. SE. of; 1.2 mi. NW. of Pine Valley, 45 ft. S. of rd. forks; 18 ft. E. of center of U.S. Highway 80; at N. end of Pine Valley Creek Bridge; in E. curb at end of tangent; standard tablet stamped "S 9 1938 3628" (Recovered by USC&GS in 1939)

3628.087

USC&GS standard disk stamped "W 308 1935" (Not Found, 1957)

3627.322

Reference mark, 500 ft. N. of tablet; 24 ft. W. of center of U.S. Highway 80, in root on E. side of 36-in. pine tree; copper nail and washer

3651.12

USC&GS standard disk stamped "X 308 1935" (Reset, 1956)

3730.5

Reference mark, 382 ft. NW. of disk; 27 ft. W. of center of highway; in center of concrete headwall of culvert; chiseled square

3733.76

CUYAMACA PEAK (20)

California

P.E. Sandoz, Jr. 1938

Third Order

Adjusted Elevations Based  
On Sea Level Datum of 1929

FILE COPY

Book: B 7819

Latitude 32°45'

Longitude 116°30'

(8) FROM POINT 1.9 MILES SOUTHEAST OF GUATAY NORTH ALONG ROADS INTO SANTA  
YSABEL QUADRANGLE (33)

"S 9 1938 3628" (Recovered by USC&GS in 1939) (Described in line 7) 3628.087

Reference mark, 500 ft. N. of tablet; 24 ft. W. of center of U.S.  
Highway 80; in root on E. side of 36-in. pine tree; copper nail  
and washer 3651.14

Harper Ranch, 7.1 mi. S. of; on top of small hill; 30 ft. N. of  
private driveway; (R.C. Smith); 30 ft. W. of center of dirt rd.;  
in granite boulder; standard tablet stamped "S 10 1938 3743" 3743.075

Reference mark, 180 ft. S. of tablet; 8 ft. E. of center of dirt  
rd.; in root on W. side of 24-in. live oak tree; copper nail and  
washer 3728.53

Harper Ranch, 5.26 mi. S. of; in center of triangle formed by rd.  
forks; 3 ft. NE. of signpost; 17 ft. E. of center of Deer Park Rd.  
and 15 ft. N. of center of Noble Canyon Rd.; in concrete post;  
standard tablet stamped "S 11 1938 4141" 4140.954

Reference mark, 132 ft. S. of tablet; 7 ft. E. of center of dirt  
rd.; in root on W. side of 18-in. live oak tree; copper nail and  
washer 4131.97

Harper Ranch, 4 mi. S. of; in saddle on top of divide; 88 ft. N.  
of cattleguard; 33 ft. N. of rd. forks and 12 ft. W. of center of  
rd.; in granite boulder; standard tablet stamped "S 12 1938 4798"  
(Probably Destroyed, 1960) 9-1165 4797.488

Reference mark, 102 ft. S. of tablet; 21 ft. W. of center of Deer  
Park Rd.; in granite boulder; chiseled square 4794.38

Harper Ranch, 2 mi. S. of; 23 ft. E. of center of rd.; 10 ft. E.  
of 10-in. live oak tree; in concrete post; standard tablet stamped  
"S 13 1938 4732" 4731.845

Reference mark, 184 ft. N. of tablet; 11 ft. W. of center of rd.;  
in base on W. side of 30-in. live oak tree; copper nail and washer 4738.81

Harper Ranch, 0.7 mi. S. of; at 1/4 cor. secs. 19 and 20, T. 14 S.,  
R. 5 E.; NW. corner of Cleveland National Forest Boundary and most  
easterly of NE. cor. of Cuyamaca State Park, in center of 2-in. iron  
pipe; brass plug marked "STATE OF CALIFORNIA DIVISION OF PARKS  
DEPARTMENT OF NATURAL RESOURCES" (Disturbed) 9-1165 4779.24



CUYAMACA PEAK (20)

California

P.E. Sandoz, Jr. 1938

Third Order

Adjusted Elevations Based  
On Sea Level Datum of 1929

FILE COPY

Book: B 7819

- (8) Harper Ranch House, 150 ft. NE. of house; 45 ft. W. of rd. forks; 50 ft. N. of 30-in. pine tree; in granite outcrop; standard tablet stamped "S 14 1938 4697" 4696.884
- Reference mark, 119 ft. S. of tablet; 58 ft. W. of center of dirt rd.; in granite outcrop; chiseled square 4701.00
- Harper Ranch, 2 mi. N. of 4.2 mi. SE. of junction of county rd. with State Highway 79; 44 ft. W. of center of dirt rd.; 73 ft. SW. of rd. forks; in concrete post; standard tablet stamped "S 15 1938 4998" 9-1165 4997.966  
(Not Found, 1957)
- Reference mark, 207 ft. E. of tablet; 26 ft. NE. of center of paved county rd.; about 5.5 ft. above center of rd.; in 2-in. iron pipe; bronze cap stamped "US DEPARTMENT OF AGRICULTURE BUREAU OF PUBLIC ROADS STATION 1124+57.82=1124+8184 1936 5012.98" (Disturbed) 9-1165 5011.72
- Harper Ranch, 2.9 mi. N. of; 32 ft. SW. of center of paved county rd.; in 2-in. iron pipe; bronze cap stamped "US DEPARTMENT OF AGRICULTURE BUREAU OF PUBLIC ROADS STATION 1166+89.43 1936 4916.35 FEET" (Note: Probable error of 100 ft. when stamped) 5015.058
- Junction of county rd. and State Highway 79, 2.3 mi. SE. of; in curve of rd. at station D 1225+50; 14 ft. SW. of center of paved county rd.; in center of concrete headwall of culvert; standard tablet stamped "S 16 1938 4788" 4787.760
- Reference mark, 599 ft. NW. of tablet; 12 ft. SW. of center of paved rd.; in center of concrete headwall of culvert; chiseled square 4774.48
- Junction of county rd. and State Highway 79; 1.5 mi. SE. of; in curve in rd. and 238 ft. SE. of cattleguard; 25 ft. SW. of center of paved rd.; in 2-in. iron pipe; bronze cap stamped "U S DEPARTMENT OF AGRICULTURE BUREAU OF PUBLIC ROADS 1936 4666.96" 4665.710
- Junction of county rd. and State Highway 79; 33 ft. NE. of center of paved county rd. at; in 2-in. iron pipe; bronze cap stamped "U S DEPARTMENT OF AGRICULTURE BUREAU OF PUBLIC ROAD 1936 4643.83" 4642.643  
US&GS standard disk stamped "L 308 1935" 4649.623
- Reference mark, 105 ft. SW. of disk; 105 ft. NW. of center of intersection of county rd. and State Highway 79; in 2-in. iron pipe; bronze cap stamped "U S DEPARTMENT OF AGRICULTURE BUREAU OF PUBLIC ROADS 1936 4658.11" 4656.93

CUYAMACA PEAK (20)

California

P.E. Sandoz, Jr. 1938

Third Order

Adjusted Elevations Based  
On Sea Level Datum of 1929

FILE COPY

Book: B 7819

Latitude 32°45'

Longitude 116°30'

(9) FROM POINT 1.7 MILES NORTHWEST OF GUATAY NORTHWEST ALONG ROAD INTO  
EL CAJON QUADRANGLE (21)

USC&GS standard disk stamped "U 308 1935" 3569.41

USC&GS standard disk stamped "T 308 1935" 3538.73

Reference mark, 89 ft. S. of disk; in base on SE. side of 36-in. live  
oak tree; rail spike 3537.25

Descanso, 157 ft. S. of post office and store; 25 ft. E. of center of  
paved county rd. "E 11" leading from Station Highway 79 to U.S. High-  
way 80; 8 ft. E. of town and mileage signpost; 3 ft. W. of fence; in  
concrete post; standard tablet stamped "S 17 1938 3396" 3396.03

Reference mark, 300 ft. NE. of tablet; 17 ft. NW. of center of paved  
county rd. "E 11"; 1 ft. E. of W. end of stone and concrete culvert  
headwall; chiseled square 3396.71

Hulburd Grove, 0.7 mi. NW. of along Boulder Creek Rd.; 55 ft. SW. of  
rd. forks; 56 ft. W. of town and mileage signpost; 8 ft. NW. of forked  
24-in. live oak tree; 2 ft. NE. of barbed wire fence; in concrete post;  
standard tablet stamped "S 18 1938 3482" 3481.57

Reference mark, 147 ft. NW. of tablet; 11 ft. SW. of center of rd.; in  
base on W. side of 18-in. live oak tree; rail spike 3479.77

Hulburd Grove, 2.7 mi. NW. of; 1.1 mi. SW. of Echo Dell; on top of  
ridge; 19 ft. W. of center of Boulder Creek Rd.; in granite boulder;  
standard tablet stamped "S 19 1938 3147" 3147.35

Reference mark, 204 ft. S. of tablet; 27 ft. E. of center of rd.; on  
granite boulder; chiseled square 3153.75

Echo Dell, 0.6 mi. N. of; at junction of Boulder Creek Rd. with Dubois  
Truck Trail; 75 ft. NW. of rd. forks; 20 ft. W. of center of Boulder  
Creek Rd.; 6 ft. N. of Forest Service signpost; in concrete post; stan-  
dard tablet stamped "S 20 1938 3159" 3159.37

Reference mark, 221 ft. N. of tablet; 17 ft. E. of center of rd.; on  
boulder; chiseled square 3176.43

CUYAMACA PEAK (20)

California

P.E. Sandoz, Jr. 1938

Third Order

Adjusted Elevations Based  
On Sea Level Datum of 1929

FILE COPY

Book: B 7819

- (9) Echo Dell, 3.2 mi. N. of; on top of ridge and 130 ft. NW. of rd. forks; 42 ft. W. of center of Boulder Creek Rd.; about 5 ft. lower than rd.; in granite boulder; standard tablet stamped "S 21 1938 3934" 3933.84
- Reference mark, 78 ft. N. of tablet; iron rod driven in ground 3934.39
- Echo Dell, 5.2 mi. N. of; in saddle on top of ridge; and 55 ft. NW. of cattleguard; 45 ft. W. of center of Boulder Creek Rd.; in concrete post; standard tablet stamped "S 22 1938 3565" (Destroyed, 1957) 3565.10
- Reference mark, 55 ft. S. of tablet; on granite outcrop; chiseled square 3572.07
- Rancho Alegria, 2.1 mi. E. of; small knoll on top of ridge; 45 ft. N. of center of Tule Springs Truck Trail; in large granite boulder; standard tablet stamped "S 23 1938 3330" 3329.79
- Reference mark, 265 ft. E. of tablet; 6 ft. N. of center of rd.; on granite boulder; chiseled square 3326.34
- Rancho Alegria, 0.7 mi. E. of; 90 ft. N. of saddle on top of ridge; 23 ft. NE. of center of Tule Springs Truck Trail; in granite boulder; standard tablet stamped "S 24 1938 3580" 3580.10
- Reference mark, 88 ft. S. of tablet; on quartzsite outcrop; chiseled square 3585.28
- Rancho Alegria House; 188 ft. E. of; 47 ft. SW. of center of Tule Springs Truck Trail; 8 ft. N. of water tank; on rocky point; in granite boulder; standard tablet stamped "S 25 1938 3216" 3216.42
- Reference mark, 72 ft. NE. of tablet; on granite boulder; chiseled square 3217.55
- Rancho Alegria, 2.3 mi. SE. of; 0.6 mi. N. of Blattner Ranch at Tule Springs; at junction of Tule Springs Truck Trail with Conejos Truck Trail; 40 ft. E. of rd. forks; 10.5 ft. NE. of Forest Service signpost; 21 ft. SE. of center of Tule Springs Truck Trail and 18 ft. NE. of center of Conejos Truck Trail; in concrete post; standard tablet stamped "S 26 1938 2492" (Recovered by USC&GS in 1944) 2492.48
- Reference mark, 161 ft. SE. of tablet; 18 ft. S. of center of trail; 8 ft. W. of fence; on large granite boulder; chiseled square 2486.80

CUYAMACA PEAK (20)

California

P.E. Sandoz, Jr. 1938

Third Order

Adjusted Elevations Based  
On Sea Level Datum of 1929

FILE COPY

Book: B 7819

- (9) Blattner Ranch, at Tule Springs; 59 ft. E. of NE. corner of farmhouse; 47 ft. W. of SW. corner of old barn; 20 ft. W. of old abandoned rd.; 3 ft. N. of 24-in. cypress tree; in S. wall of adobe brick cellar; standard tablet stamped "2415" (Established in 1901, Books missing) 2382.320
- Reference mark, 118 ft. NE. of tablet; 10 ft. W. of old abandoned rd. now used as private driveway; on E. wall of well; chiseled square 2385.76
- Blattner Ranch at Tule Springs, 1.5 mi. NW. of; near top of ridge in curve of rd.; 21 ft. SW. of center of Tule Springs Truck Trail; in concrete post; standard tablet stamped "S 27 1938 2125" (Recovered by USC&GS in 1944) 2125.347
- Reference mark, 349 ft. N. of tablet; 16 ft. W. of center of Tule Springs Truck Trail; on granite boulder; chiseled square 2077.273



CUYAMACA PEAK (20)

California

P.E. Sandoz, Jr. 1938

Third Order

Adjusted Elevations Based  
On Sea Level Datum of 1929

FILE COPY

Book: B 7819

Latitude 32°45'

Longitude 116°30'

- (10) FROM EL CAJON QUADRANGLE (21) NORTHEAST ALONG SAN DIEGO RIVER INTO  
SANTA YSABEL QUADRANGLE (33)

San Diego River Diversion Dam; on top of E. end of; 0.5 ft. E. of end  
of pipe guardrail on S. edge of concrete walk; 19 ft. W. of center of  
Eagle Peak Rd.; standard tablet stamped "S 29 1938 828" (Recovered by  
USC&GS in 1939)

828.253

Reference mark, 162 ft. S. of tablet; 18 ft. E. of center of rd.; on  
large granite boulder; chiseled square

821.41

San Diego River Diversion Dam, 1.7 mi. NE. of; near junction of Cedar  
Creek with San Diego River; at foot of steep grade in rd.; 43 ft. NE.  
of rd. forks; 13 ft. SE. of center of Eagle Peak Rd.; at NE. edge of  
clump of five sycamore trees; in concrete post; standard tablet stamped  
"S 30 1938 928"

927.889

Reference mark, 109 ft. SW. of tablet; 18 ft. SE. of center of rd.;  
on granite boulder; chiseled square

926.80

CUYAMACA PEAK (20)

California

P.E. Sandoz, Jr. 1938

Third Order

Adjusted Elevations Based  
On Sea Level Datum of 1929

FILE COPY

Book: B 7820

Latitude 32°45'

Longitude 116°30'

(11) FROM PINE VALLEY ALONG ROAD SOUTHWEST TO CORTE MADERA VALLEY, THENCE  
SOUTHEAST INTO POTRERO QUADRANGLE (9)

USC&GS standard disk stamped "X 308 1935" (Reset, 1956)	3730.5
Reference mark, 382 ft. NW. of disk; 27 ft. W. of center of highway; in center of concrete headwall of culvert; chiseled square	3733.76
Pine Valley, 2 mi. SW. of along rd. through Oak Valley; 22 ft. S. of center of Pine Valley-Corte Madera Valley Rd.; in concrete post; stan- dard tablet stamped "S 37 1938 3779"	3779.00
Reference mark, 54 ft. W. of tablet; on boulder; chiseled square	3781.34
Corte Madera Valley, 1.1 mi. NE. of; about 200 ft. S. of saddle on ridge; at Corte Madera Rancho wire fence; 50 ft. E. of center of Pine Valley-Corte Madera Valley Rd.; 1.5 ft. N. of fence; in concrete post; standard tablet stamped "S 38 1938 4039"	4038.956
Reference mark, 71 ft. SW. of tablet; in base on NE. side of 15-in. live oak tree; copper nail and washer	4037.38
Corte Madera Valley, 1.1 mi. E. of; 600 ft. E. of gate; 25 ft. S. of center of Bear Valley Truck Trail; in large granite boulder; standard tablet stamped "S 39 1938 4054"	4053.732
Reference mark, 81 ft. W. of tablet; on granite boulder; chiseled square	4054.95
Corte Madera Valley, 3 mi. E. of; 18 ft. W. of center of Bear Valley Truck Trail; 6 ft. W. of 36-in live oak tree; in concrete post; stan- dard tablet stamped "S 40 1938 4169"	4169.482
Reference mark, 102 ft. S. of tablet; 10 ft. E. of center of rd. in root on W. side of 15-in. live oak tree; copper nail and washer	4165.96
Bear Valley, 0.6 mi. S. of; at junction of Bear Valley Truck Trail with Bear Valley Loop Truck Trail; 21 ft. NE. of center of Bear Valley Truck Trail and 3 ft. N. of Forest Service signpost; in concrete post; standard tablet stamped "S 41 1938 4155"	4155.268
Reference mark, 63 ft. W. of tablet; on rock outcrop; chiseled square	4156.36
Coogan Ranch, 0.7 mi. NW. of, at foot of steep grade, in U-turn in rd., 34 ft. W. of center of Bear Valley Truck Trail, in granite boulder; standard tablet stamped "S 42 1938 3417"	3417.347
Reference mark, 57 ft. N. of tablet; on granite boulder; chiseled square	3428.78

10-1-65 mh *mcw* 3428.78