

REPORT ON PERMANENT SURVEY MARK

AREA OFFICE  
NGS # 440682  
Me 36 Mt Desert NW

STATE Maine COUNTY Hancock QUADRANGLE \_\_\_\_\_  
QUOTE PRIMARY REFERENCE Ellsworth 6.8 mi S. of along the Bayside road.  
(Direction and distance)

Please prepare in triplicate and send to nearest (or indicated) address shown on reverse side.

DESIGNATION { LISTED K 4 1934  
STAMPED K 4 1934 TYPE OF MARK: BM X TT \_\_\_\_\_ TRIANG. \_\_\_\_\_

Lat. \_\_\_\_\_' \_\_\_\_\_" CONDITION Disturbed   
Long. \_\_\_\_\_' \_\_\_\_\_" Destroyed   
Elev. 74.605 feet Not Found   
OKXXXXX  
ESTABLISHED BY USGS  USBR   
USC&GS  State GS   
USNPS  USNFS   
USGLO  (Other)   
USBLM

REMARKS OR REVISED DESCRIPTION: Use same to reach: At the jct. of state route 230, and the NW end of Cross Road; 140 ft SE centerline of Y-rd jct.; 39.6 ft east of and about 4 ft higher than centerline of road; 8 ft NE centerline 6 inch cedar tree with witness sign attached; standard tablet set in top of an 8X10 ft boulder proj. 4 ft; stamped "K 4 1934"

SUBMITTED BY George W. Nottage  
TITLE Carto. Tech.  
AGENCY U.S.G.S.

DATE 12/76

Marks found in good condition need not be reported.

FILL IN ALL AVAILABLE INFORMATION

REPORT ON PERMANENT SURVEY MARK

AREA OFFICE  
NGS # 440682  
Me 36 Mt Desert

STATE Maine COUNTY Hancock QUADRANGLE \_\_\_\_\_  
QUOTE PRIMARY REFERENCE Trenton 1.45 mi south of  
(Direction and distance)

Please prepare in triplicate and send to nearest (or indicated) address shown on reverse side.

DESIGNATION { LISTED K 3  
STAMPED K 3 1934 TYPE OF MARK: BM X TT \_\_\_\_\_ TRIANG. \_\_\_\_\_

Lat. \_\_\_\_\_' \_\_\_\_\_" CONDITION Disturbed   
Long. \_\_\_\_\_' \_\_\_\_\_" Destroyed   
Elev. 36.962 feet Not Found   
Good XXXX  
ESTABLISHED BY USGS  USBR   
USC&GS 62  State GS   
USNPS  USNFS   
USGLO  (Other)   
USBLM

REMARKS OR REVISED DESCRIPTION: To reach ok; NGS 1962 description is in error; About 700 ft south of Y-rd jct state hys 3, & 198-102 at NW edge of Mt Desert Island; at south edge of clearing; 42 ft west centerl road; 95.2 ft NW of "stop ahead" sign; 4.6 ft east of center of 8 spruce with witness sign attached; at extreme SW corner of exposed rock outcrop, set in flush exposed ledge 1 ft square only; 4.6 ft SW of high point on a 4 ft Square rock outcrop proj. 0.2 ft Standard tablet stamped "K 3 1934"

SUBMITTED BY George W. Nottage  
TITLE Carto. Tech  
AGENCY U.S.G.S.

DATE 12/76

Marks found in good condition need not be reported.

FILL IN ALL AVAILABLE INFORMATION

REPORT ON PERMANENT SURVEY MARK

AREA OFFICE  
NGS 440682  
Mt. Desert NE-Me-

STATE Maine COUNTY Hancock  
QUOTE PRIMARY REFERENCE Salisbury Cove P.O. 300 ft W. of;  
(Direction and distance)

Please prepare in triplicate and send to nearest (or indicated) address shown on reverse side.

DESIGNATION { LISTED K 11 1934  
STAMPED K 11 1934 TYPE OF MARK: BM X TT \_\_\_\_\_ TRIANG. \_\_\_\_\_

Lat. \_\_\_\_\_' \_\_\_\_\_" CONDITION  
Long. \_\_\_\_\_' \_\_\_\_\_" Disturbed   
Elev. 43.666 feet Destroyed   
Not Found   
Good XXXXXXXX   
ESTABLISHED BY  
USGS  USBR   
USC&GS  State GS   
USNPS  USNFS   
USGLO  (Other)   
USBLM

REMARKS OR REVISED DESCRIPTION: To reach ok.....;  
At church parsonage; 57 ft east of SE corner of parsonage porch;  
59 ft SE of NE corner of parsonage stone foundation;  
65.5 ft north centerline of road; 60.2 ft north of power pole # 225;  
Standard tablet set in top of a large ledge; stamped " K 11 1934 "

SUBMITTED BY George W. Nottage  
TITLE Carto. Tech.  
AGENCY U.S.G.S.

DATE 05/77

Marks found in good condition need not be reported.

16-4422-4

FILL IN ALL AVAILABLE INFORMATION

(OVER)

REPORT ON PERMANENT SURVEY MARK

AREA OFFICE  
NGS 440682  
Mt. Desert NE Me. 36

STATE Maine COUNTY Hancock  
QUOTE PRIMARY REFERENCE Bar Harbor 2.95 miles west of;  
(Direction and distance)

Please prepare in triplicate and send to nearest (or indicated) address shown on reverse side.

DESIGNATION { LISTED K 9  
STAMPED K 9 1934 TYPE OF MARK: BM X TT \_\_\_\_\_ TRIANG. \_\_\_\_\_

Lat. \_\_\_\_\_' \_\_\_\_\_" CONDITION  
Long. \_\_\_\_\_' \_\_\_\_\_" Disturbed   
Elev. 372.194 feet Destroyed   
Not Found   
Good XXXX   
ESTABLISHED BY  
USGS  USBR   
USC&GS  State GS   
USNPS  USNFS   
USGLO  (Other)   
USBLM

REMARKS OR REVISED DESCRIPTION: This mark given 2nd order elev. in 1962 by NGS.  
122.3 ft south centerline Hwy. 233; 150 ft north centerline of old road; about 400 ft east of Y-rd jct. of new and old road; set in top of a large ledge near the SE corner; 3 ft north of south edge of ledge and 4 ft west of east edge of ledge; 38.6 ft north of CL 6 inch cedar bearing witness sign; 21.6 ft east of CL 8 inch cedar which is the S most of a group of 8 trees; Standard tablet set in ledge at east edge of clearing; Stamped " K 9 1934 372 "

SUBMITTED BY George W. Nottage-Carto. Tech.  
AGENCY U.S.G.S.

DATE 05/77

Marks found in good condition need not be reported.

16-4422-4

FILL IN ALL AVAILABLE INFORMATION

Note THIS MARK WAS COVERED WHEN I LOCATED IT, AND IT TOOK OVER AN HOUR TO LOCATE IT USING THE PREVIOUS PUBLISHED DESCRIPTION.....

REPORT ON PERMANENT SURVEY MARK

AREA OFFICE

STATE MAINE COUNTY HANCOCK QUADRANGLE ME-36  
QUOTE PRIMARY REFERENCE ELLSWORTH 4.9 MI. S. ALONG Bayside Rd.  
(Direction and distance)

NGS 440682

DESIGNATION { LISTED UE CH SQ 32.34  
STAMPED \_\_\_\_\_ } TYPE OF MARK: UE TT \_\_\_\_\_ TRIANG. \_\_\_\_\_

Lat. \_\_\_\_\_' \_\_\_\_\_" CONDITION Disturbed   
Long. \_\_\_\_\_' \_\_\_\_\_" Destroyed   
Elev. 32.34 feet Not Found   
USGS  ESTABLISHED BY USBR   
USC&GS  State GS   
USNPS  USNFS   
USGLO  (Other)   
USBLM

REMARKS OR REVISED DESCRIPTION:  
5.6 FT N & Small Brook; 34 FT E & Rd; 17.2 FT E. of E.  
N. Most of two pipe cluts;  
CH. Square (0.4' x 0.4') in top of a 6 x 6 FT BOULDER  
PROJ 3 FT

SUBMITTED BY E.W. NATTAGE  
TITLE Carto Tech.  
AGENCY USGS DATE Jan 77

Marks found in good condition need not be reported.

16-54282-4

FILL IN ALL AVAILABLE INFORMATION

(OVER)

REPORT ON PERMANENT SURVEY MARK

AREA OFFICE

STATE MAINE COUNTY HANCOCK QUADRANGLE ME-36  
QUOTE PRIMARY REFERENCE ELLSWORTH 5.9 MI. S. ALONG Bayside Rd.  
(Direction and distance)

NGS # 440682

DESIGNATION { LISTED CH. Square 61.40  
STAMPED \_\_\_\_\_ } TYPE OF MARK: UE TT \_\_\_\_\_ TRIANG. \_\_\_\_\_

Lat. \_\_\_\_\_' \_\_\_\_\_" CONDITION Disturbed   
Long. \_\_\_\_\_' \_\_\_\_\_" Destroyed   
Elev. 61.40 feet Not Found   
USGS  ESTABLISHED BY USBR   
USC&GS  State GS   
USNPS  USNFS   
USGLO  (Other)   
USBLM

REMARKS OR REVISED DESCRIPTION:  
70.8 FT N of NW COR of MR. COLESONS HOUSE;  
100.7 FT E & Rd;  
132.0 FT NE Pole # 4-140; CH SQ in top of a  
3 x 4 FT BOULDER PROJ. 1 1/2 FT.

SUBMITTED BY E.W. Nattage  
TITLE Carto Tech.  
AGENCY USGS DATE Jan 77

Marks found in good condition need not be reported.

16-54282-4

FILL IN ALL AVAILABLE INFORMATION

(OVER)

Please prepare in triplicate and send to nearest (or indicated) address shown on reverse side.

Please prepare in triplicate and send to nearest (or indicated) address shown on reverse side.

REPORT ON PERMANENT SURVEY MARK

AREA OFFICE

NGS -440682

STATE Maine COUNTY Hancock QUADRANGLE Mt. Desert NE-Me  
QUOTE PRIMARY REFERENCE Salisbury Cove P.O. 2.2 mi. west ~~and 3.2 mi. west~~ Rd.  
(Direction and distance)

DESIGNATION { LISTED UE 95.23 ~~UE 54.47~~  
STAMPED \_\_\_\_\_ TYPE OF MARK: BM \_\_\_\_\_ TT \_\_\_\_\_ TRIANG. \_\_\_\_\_

Lat. \_\_\_\_\_' \_\_\_\_\_" CONDITION Disturbed   
Long. \_\_\_\_\_' \_\_\_\_\_" Destroyed  ESTABLISHED BY USGS  USBR   
Elev. \_\_\_\_\_ feet Not Found  USC&GS  State GS   
USNPS  USNFS   
USGLO  (Other)   
USBLM

REMARKS OR REVISED DESCRIPTION: Pen & ink changes For UEs. To reach descriptive  
ok.....;  
UE 95.23 CH SQ --- 173 ft south centerline main rd & Bayview Rd.  
73 ft south of power pole # 7/310; 22 ft SE centerline rd.; 3 ft S  
of north face of ledge; mark is a deeply chiseled 2inch by 3 inch  
square on edge of ledge about 3 ft above rd.

~~UE 54.47 CH SQ 67 ft NW centerline rd at T rd N., 60 ft west  
centerline rd. into camping area, 99 ft west pole # 53, 3" X 3" CH SQ~~

SUBMITTED BY set in top of  
TITLE George W. Nottage-Carto. Tech. DATE 05/77  
AGENCY USGS

Marks found in good condition need not be reported.

FILL IN ALL AVAILABLE INFORMATION

16-5000-4

(OVER)

REPORT ON PERMANENT SURVEY MARK

AREA OFFICE

NGS 440682

STATE Maine COUNTY Hancock QUADRANGLE Mt. Desert NE-Me-3  
QUOTE PRIMARY REFERENCE Salisbury P.O. 3.2 mi. W. of;  
(Direction and distance)

DESIGNATION { LISTED UE CH SQ 54.47  
STAMPED \_\_\_\_\_ TYPE OF MARK: BM \_\_\_\_\_ TT \_\_\_\_\_ TRIANG. \_\_\_\_\_

Lat. \_\_\_\_\_' \_\_\_\_\_" CONDITION Disturbed   
Long. \_\_\_\_\_' \_\_\_\_\_" Destroyed  ESTABLISHED BY USGS  USBR   
Elev. 54.47 feet Not Found  USC&GS  State GS   
GoodXXXXXXXXX USNPS  USNFS   
USGLO  (Other)   
USBLM

REMARKS OR REVISED DESCRIPTION: To reach ok.....;  
UE CH SQ 54.47----- 67 ft NW CL rd at T-drive into camping area;  
60 ft west centerline N.-S. rd.; 99 ft west power pole # 53;  
34 ft north centerline main road; 3" X 3" deeply chiseled square  
carved in top of a 4ft X 6ft ledge outcrop;

SUBMITTED BY George W. Nottage  
TITLE Carto. Tech. DATE 05/77  
AGENCY U.S.G.S.

Marks found in good condition need not be reported.

FILL IN ALL AVAILABLE INFORMATION

16-5000-4

(OVER)

Please prepare in triplicate and send to nearest (or indicated) address shown on reverse side.

Please prepare in triplicate and send to nearest (or indicated) address shown on reverse side.

REPORT ON PERMANENT SURVEY MARK

AREA OFFICE

STATE Maine COUNTY Hancock QUADRANGLE Mt. Desert NE-Me.  
QUOTE PRIMARY REFERENCE Trenton, 2.5 mi SE, and 1.5 mi SW of;  
(Direction and distance)

NGS 440682

DESIGNATION { LISTED K6 1934  
STAMPED K6 1934

TYPE OF MARK: BM X TT \_\_\_\_\_ TRIANG \_\_\_\_\_

Lat. \_\_\_\_\_ ' \_\_\_\_\_"  
Long. \_\_\_\_\_ ' \_\_\_\_\_"  
Elev. 117.145 feet

CONDITION  
Disturbed   
Destroyed   
Not Found

ESTABLISHED BY  
USGS  USBR   
USC&GS  State GS   
USNPS  USNFS   
USGLO  (Other)   
USBLM

Please prepare in triplicate.

REMARKS OR REVISED DESCRIPTION:

Indian Point; 140 ft west of NW most rd. jct. (at three way intersect-  
-ion); 48 ft north centerline road; 77 ft NE transformer pole # 72;  
1 ft south of small rock carin; set in top of large ledge; 2 ft west  
of the extreme east face; standard tablet stamped " K 6 1934 "

SUBMITTED BY George W. Nottage  
TITLE Carto. Tech.  
AGENCY USGS

DATE 05/77

Marks found in good condition need not be reported.

REPORT ON PERMANENT SURVEY MARK

AREA OFFICE

STATE Maine COUNTY Hancock QUADRANGLE Mt. Desert SE-Me-36  
QUOTE PRIMARY REFERENCE Asticou 2.2 mi north of;  
(Direction and distance)

NGS 440682

DESIGNATION { LISTED UE CH SQ 209.444  
STAMPED \_\_\_\_\_

TYPE OF MARK: BM \_\_\_\_\_ TT \_\_\_\_\_ TRIANG \_\_\_\_\_

Lat. \_\_\_\_\_ ' \_\_\_\_\_"  
Long. \_\_\_\_\_ ' \_\_\_\_\_"  
Elev. 209.444 feet

CONDITION  
Disturbed   
Destroyed   
Not Found

ESTABLISHED BY  
USGS  USBR   
USC&GS  State GS   
USNPS  USNFS   
USGLO  (Other)   
USBLM

Please prepare in triplicate.

REMARKS OR REVISED DESCRIPTION:

At foot of steep grade; 116 ft NE of power pole; 61 ft east centerline  
new road; 19 ft east centerline old roadbed ; 3"X3" deeply chiseled  
square in top of small rock outcrop;

SUBMITTED BY George W. Nottage  
TITLE Carto. Tech.  
AGENCY USGS

DATE 05/77

Marks found in good condition need not be reported.